

Page 1 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.07.2023 / 0001 Replacing version dated / version: 10.07.2023 / 0001 Valid from: 10.07.2023 PDF print date: 11.07.2023 Flax Fabric

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Flax Fabric

œ

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

See definition of the substance or mixture. Industrial use **Uses advised against:**

No information available at present.

1.3 Details of the supplier of the safety data sheet

SAERTEX GmbH & Co. KG Brochterbecker Damm 52 48369 Saerbeck Deutschland Telefon: +49 (0) 2574 902 0 Fax: +49 (0) 2574 902 9 info@saertex.com www.saertex.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+1 872 5888271 (SAR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP) This is an article.

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

Not applicable

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %). The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the

The mixture does not contain any PBT substance (PBT = persistent, bloaccumulative, toxic) of is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).



Page 2 of 10

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.07.2023 / 0001 Replacing version dated / version: 10.07.2023 / 0001 Valid from: 10.07.2023 PDF print date: 11.07.2023 Flax Fabric

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. 3.2 Mixtures

| Registration number (REACH) | |
|---|--|
| Index | |
| EINECS, ELINCS, NLP, REACH-IT List-No. | |
| CAS | |
| content % | |
| Classification according to Regulation (EC) 1272/2008 (CLP), M- | |
| factors | |

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Typically no exposure pathway.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.

Water jet spray/foam/CO2/dry extinguisher Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8.



Page 3 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.07.2023 / 0001 Replacing version dated / version: 10.07.2023 / 0001 Valid from: 10.07.2023 PDF print date: 11.07.2023 Flax Fabric

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

œ

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

Prevent from entering drainage system.

6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store at room temperature.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| ^{OB} Chemical | | Cellulose | | | |
|------------------------|--------------------|----------------------|-----------|---------------------------------------|--|
| WEL-TWA: | 10 mg/m3 (Cellulos | e, total inh. dust), | WEL-STEL: | 20 mg/m3 (Cellulose, total inh. dust) | |
| 4 mg/m3 (Cell | ulose, respirable) | | | | |
| Monitoring pro | cedures: | | | | |
| BMGV: | | | | Other information: - | |
| | | | | | |



Page 4 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.07.2023 / 0001 Replacing version dated / version: 10.07.2023 / 0001 Valid from: 10.07.2023 PDF print date: 11.07.2023 Flax Fabric

ആ

| Chemical Name | general dust limit | | | | |
|------------------------------|--------------------|-----------|--|--------------------|--|
| WEL-TWA: 10 mg/m3 (inhal. du | ıst), 4 mg/m3 | WEL-STEL: | | | |
| (respir. dust) | - | | | | |
| Monitoring procedures: | | | | | |
| BMGV: | | | | Other information: | |
| | | | | | |

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and nonmetrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Normally not necessary. With danger of contact with eyes. Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Normally not necessary. If applicable Nitrile-soaked cotton gloves with CE sign (EN ISO 374). Leather gloves.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable



Page 5 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.07.2023 / 0001 Replacing version dated / version: 10.07.2023 / 0001 Valid from: 10.07.2023 PDF print date: 11.07.2023 Flax Fabric

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

œ

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state: | Solid |
|---|--|
| Colour: | According to specification |
| | 5 |
| Odour: | Characteristic |
| Melting point/freezing point: | There is no information available on this parameter. |
| Boiling point or initial boiling point and boiling range: | There is no information available on this parameter. |
| Flammability: | There is no information available on this parameter. |
| Lower explosion limit: | Does not apply to solids. |
| Upper explosion limit: | Does not apply to solids. |
| Flash point: | Does not apply to solids. |
| Auto-ignition temperature: | Does not apply to solids. |
| Decomposition temperature: | There is no information available on this parameter. |
| pH: | Mixture is non-soluble (in water). |
| Kinematic viscosity: | There is no information available on this parameter. |
| Solubility: | Insoluble |
| Partition coefficient n-octanol/water (log value): | Does not apply to mixtures. |
| Vapour pressure: | There is no information available on this parameter. |
| Density and/or relative density: | There is no information available on this parameter. |
| Relative vapour density: | Does not apply to solids. |
| Particle characteristics: | There is no information available on this parameter. |
| 9.2 Other information | |
| No information available at present. | |
| | |

SECTION 10: Stability and reactivity

10.1 Reactivity
Not to be expected
10.2 Chemical stability
Stable with proper storage and handling.
10.3 Possibility of hazardous reactions
No dangerous reactions are known.
10.4 Conditions to avoid
None known
10.5 Incompatible materials
None known
10.6 Hazardous decomposition products
No decomposition when used as directed.

SECTION 11: Toxicological information



Page 6 of 10

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.07.2023 / 0001 Replacing version dated / version: 10.07.2023 / 0001 Valid from: 10.07.2023 PDF print date: 11.07.2023 Flax Fabric

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Possibly more information on health effects, see Section 2.1 (classification).

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|----------------------------------|----------|-------|------|----------|-------------|--------|
| Acute toxicity, by oral route: | - | | | | | n.d.a. |
| Acute toxicity, by dermal | | | | | | n.d.a. |
| route: | | | | | | |
| Acute toxicity, by inhalation: | | | | | | n.d.a. |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye | | | | | | n.d.a. |
| damage/irritation: | | | | | | |
| Respiratory or skin | | | | | | n.d.a. |
| sensitisation: | | | | | | |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |
| Specific target organ toxicity - | | | | | | n.d.a. |
| single exposure (STOT-SE): | | | | | | |
| Specific target organ toxicity - | | | | | | n.d.a. |
| repeated exposure (STOT- | | | | | | |
| RE): | | | | | | |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |

| Cellulose | |
|-----------|--|
| Centulose | |

| Cellulose | | | | | | |
|--------------------------------|----------|-------|---------|----------|-------------|--------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | >3000 | mg/kg | Rat | | |
| Acute toxicity, by inhalation: | LC50 | 5800 | mg/m3/4 | Rat | | |
| | | | h | | | |
| Skin corrosion/irritation: | | | | | | Not irritant |
| Serious eye | | | | | | Not irritant |
| damage/irritation: | | | | | | |
| Respiratory or skin | | | | | | No (skin |
| sensitisation: | | | | | | contact) |
| Symptoms: | | | | | | mucous |
| | | | | | | membrane |
| | | | | | | irritation |

11.2. Information on other hazards

| Flax Fabric | | | | | | |
|----------------------|----------|-------|------|----------|-------------|-----------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Endocrine disrupting | | | | | | Does not apply |
| properties: | | | | | | to mixtures. |
| Other information: | | | | | | No other |
| | | | | | | relevant |
| | | | | | | information |
| | | | | | | available on |
| | | | | | | adverse effects |
| | | | | | | on health. |

| SECTION 12: Ecological information | | | | | | | |
|---|-----------------|-------------|-------------|------|---------------|-------------|--------|
| Possibly more information on environmental effects, see Section 2.1 (classification). | | | | | | | |
| | ion on environm | entai enect | s, see Seci | | assincation). | | |
| Flax Fabric | | | | | | | |
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | | | | | | | n.d.a. |



Page 7 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.07.2023 / 0001 Replacing version dated / version: 10.07.2023 / 0001 Valid from: 10.07.2023 PDF print date: 11.07.2023 Flax Fabric

| 12.1. Toxicity to | | n.d.a. |
|--------------------------|--|----------------|
| daphnia: | | |
| 12.1. Toxicity to algae: | | n.d.a. |
| 12.2. Persistence and | | n.d.a. |
| degradability: | | |
| 12.3. Bioaccumulative | | n.d.a. |
| potential: | | |
| 12.4. Mobility in soil: | | n.d.a. |
| 12.5. Results of PBT | | n.d.a. |
| and vPvB assessment | | |
| 12.6. Endocrine | | Does not apply |
| disrupting properties: | | to mixtures. |
| 12.7. Other adverse | | No information |
| effects: | | available on |
| | | other adverse |
| | | effects on the |
| | | environment. |

| Cellulose | | | | | | | |
|-----------------------|----------|------|-------|------|----------|-------------|----------------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.3. Bioaccumulative | | | | | | | Not relevant. |
| potential: | | | | | | | |
| 12.5. Results of PBT | | | | | | | No PBT |
| and vPvB assessment | | | | | | | substance, No |
| | | | | | | | vPvB substance |

SECTION 13: Disposal considerations

13.1 Waste treatment methods For the substance / mixture / residual amounts

EC disposal code no.:

œ

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU) 16 03 06 organic wastes other than those mentioned in 16 03 05 Recommendation:

Sewage disposal shall be discouraged. Pay attention to local and national official regulations.

Implement substance recycling.

For contaminated packing material

Pay attention to local and national official regulations. Cleaned packaging: Recycling

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number:
14.2. UN proper shipping name:
Not applicable
14.3. Transport hazard class(es):
14.4. Packing group:
Hazard identification number:
14.5. Environmental hazards:
Tunnel restriction code:

Not applicable

Not applicable Not applicable Not applicable Not applicable Not applicable



Page 8 of 10

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.07.2023 / 0001 Replacing version dated / version: 10.07.2023 / 0001 Valid from: 10.07.2023 PDF print date: 11.07.2023 Flax Fabric

| Classification code: | Not applicable |
|---|--------------------------------|
| LQ: | Not applicable |
| Transport category: | Not applicable |
| Transport by sea (IMDG-code) | |
| 14.1. UN number or ID number: | Not applicable |
| 14.2. UN proper shipping name: | |
| Not applicable | |
| 14.3. Transport hazard class(es): | Not applicable |
| 14.4. Packing group: | Not applicable |
| 14.5. Environmental hazards: | Not applicable |
| Marine Pollutant: | Not applicable |
| EmS: | Not applicable |
| Transport by air (IATA) | |
| 14.1. UN number or ID number: | Not applicable |
| 14.2. UN proper shipping name: | |
| Not applicable | |
| 14.3. Transport hazard class(es): | Not applicable |
| 14.4. Packing group: | Not applicable |
| 14.5. Environmental hazards: | Not applicable |
| 14.6. Special precautions for user | |
| Unless specified otherwise, general measures for sa | afe transport must be followed |
| 4.7 Maritima transmartin halls as and | • |

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions: General hygiene measures for the handling of chemicals are applicable.

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

n.a.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended. Guidelines for the preparation of safety data sheets as amended (ECHA). Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA). Safety data sheets for the constituent substances. ECHA Homepage - Information about chemicals. GESTIS Substance Database (Germany).



Page 9 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.07.2023 / 0001 Replacing version dated / version: 10.07.2023 / 0001 Valid from: 10.07.2023 PDF print date: 11.07.2023 Flax Fabric

ആ

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany). EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended. Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approximately approx. Article number Art., Art. no. ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor** BSEF The International Bromine Council body weight bw CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.q. Effect Concentration/Level of x % on reduction of the biomass (algae, plants) EbCx, EyCx, EbLx (x = 10, 50) European Community EC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances **ELINCS** European List of Notified Chemical Substances ΕN European Norms United States Environmental Protection Agency (United States of America) FPA ErCx, $E\mu Cx$, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) et cetera etc **European Union** EU EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number general gen. Globally Harmonized System of Classification and Labelling of Chemicals GHS GWP Global warming potential Koc Adsorption coefficient of organic carbon in the soil octanol-water partition coefficient Kow IARC International Agency for Research on Cancer IATA International Air Transport Association International Bulk Chemical (Code) IBC (Code) International Maritime Code for Dangerous Goods IMDG-code including, inclusive incl. IUCLIDInternational Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population



ആ Page 10 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.07.2023 / 0001 Replacing version dated / version: 10.07.2023 / 0001 Valid from: 10.07.2023 PDF print date: 11.07.2023 Flax Fabric LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil Log Koc Log Kow, Log Pow Logarithm of octanol-water partition coefficient Limited Quantities LQ MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. not available n.av. not checked n.c. n.d.a. no data available NIOSHNational Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development organic org. OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic ΡE Polyethylene PNEC Predicted No Effect Concentration parts per million ppm Polyvinylchloride PVC REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical REACH-IT List-No. identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the RID International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone TOC Total organic carbon United Nations Recommendations on the Transport of Dangerous Goods **UN RTDG** VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wet weight wwt

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

 $\ensuremath{\mathbb{C}}$ by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.